




Date	Name	Note
2021/10/08	canlong	Initial Version
2021/12/14	Junyao	change PCB route and copper
2022/1/6	Junyao	C36,C37,C42→ NC
2023/08/22	haikuan	1, GD25LD40C -> P25Q40SU-SSH-I GD25LD40C is out of stock. The flash inside the Eagle chip has been changed to P25D40SUFWF
2023/10/09	canlong	Change C9(NC) to D9(TT0321SB) and PESDRC2XP5VB
2024/03/23	canlong	Add USB ESD Protection

Title		
Telink-Semi		
Size	Document Number	Rev
A4	C1T261A30	V1.1
Date:	Saturday, March 23, 2024	Sheet 1 of 6








Title Telink-Semi			
Size A4	Document Number C1T261A30		Rev V1.1
Date:	Saturday, March 23, 2024	Sheet 3	of 6

- >>TL_RST
- >>TL_B0
- >>TL_B1
- >>TL_B2
- >>TL_B3
- >>TL_B4
- >>TL_B5
- >>TL_B6
- >>TL_B7
- >>TL_C0
- >>TL_C1
- >>TL_32KO_C2
- >>TL_32KI_C3
- >>TL_C4
- >>TL_C5
- >>TL_C6
- >>TL_C7
- >>TL_D0
- >>TL_D1
- >>TL_D2
- >>TL_D3
- >>TL_D5
- >>TL_D6
- >>TL_D7

Arduino







Title			
Telink-Semi			
Size	Document Number	Rev	
A4	C1T261A30	V1.1	
Date:	Friday, January 21, 2022	Sheet	4 of 6

>>TL_A0_key1
>>TL_D4_key2
>>TL_F0_key3
>>TL_F1_key4
>>TL_A4_LED_B
>>TL_A5_LED_G
>>TL_A6_LED_W
>>TL_A7_LED_R


>>TL_SWS_A3

>>TL_D5
>>TL_D6
>>TL_D7



Title			
Telink-Semi			
Size	Document Number		Rev
A4	C1T261A30		V1.1
Date:	Friday, January 21, 2022		Sheet 5 of 6

USB



POWER

